

Slim Digital TV Indoor Antenna

With Built-in Amplifier

LT-3206



User Manual

Specifications:

Filter: LTE/4G Max Output: 90dBuV

Max Noise: VHF: 1.5dB

UHF: 1.8dB

Frequency: VHF: 174-230MHz

UHF: 470-694MHz

Dimensions: 230(L) x 195(W) mm

Diagram:





- 1. Telescopic Dipoles
- 2. On/Off and Gain Adjustment
- 3. Adjustable Loop Aerial
- 4. Power Input
- 5. Coaxial Cable

Instructions:

- 1. Connect the power adapter to the power input socket at the rear of the unit and plug the other end into a standard power outlet.
- 2. Connect the end of the coaxial cable into the TV's RF input socket.
- 3. Turn on the antenna by rotating the On/Off and Gain Adjustment switch until you get the best reception quality.
- 4. When receiving UHF signal, adjust the loop to the best reception angle.
- 5. When receiving VHF signal, extend and move the dipoles to the best reception angle.

Distributed by: TechBrands by Electus Distribution Pty. Ltd. 320 Victoria Rd, Rydalmere

> Ph: 1300 738 555 Int'l: +61 2 8832 3200 Fax: 1300 738 500

NSW 2116 Australia

www.techbrands.com