



TIP TINNER

Thermaltronics TMT-TC-2 Tip Tinners is a compressed tablet of pure tin and ammonia phosphate formulation in a metal container with lid. It has a self adhesive pad on the underside to allow it to be affixed on, or near the work station.

Thermaltronics TMT-TC-2 Tip Tinners provides fast, efficient cleaning and re-tinning of blackened and highly oxidised soldering iron tips, safely and efficiently.

FEATURES

- Lead free (RoHS Compliant)
- Removes tip oxidation
- No-Clean compatible formulation
- Minimal residues
- Rapidly re-tins badly oxidised soldering iron tips.

APPLICATION

Thermaltronics TMT-TC-2 Tip Tinners should be used when the soldering iron tip is unable to be retinned by using cored solder or normal electronic grade fluxes.

For best results roll or wipe the soldering tip at normal soldering temperature over the surface of the TMT-TC-2 for a few seconds to produce local melting. There is no need to use heavy pressure or a scrubbing action. Prolonged contact may form excessive fume.

The residue on the tip is non-corrosive and may be removed by wiping the tip onto brass curls or a damp (not wet) sponge.

AVAILABILITY

Thermaltronics TMT-TC-2 Tip Tinners are available in containers containing 20g.

SAFETY AND HANDLING

Avoid inhaling the flux fumes when in use.

Wash your hands thoroughly after handling TMT-TC-2 especially before eating or smoking.

Keep out of reach of children.

Dispose in accordance with Local, State and Federal Regulations

PRECAUTIONS: This product capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the material.

WARRANTY: All products purchased from or supplied by Thermaltronics are subject to terms and conditions set out in the contract. Thermaltronics warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Thermaltronics is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Thermaltronics makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.