
NEXTECH

XC5906



10 in 1 Multifunction USB Type-C Power Hub

Instruction Manual

Product Introduction

This is a metallic multifunctional USB-C hub, which can extend the USB-C port on your laptop. More ports can be extended including HDMI, VGA, Ethernet, USB-A 3.0 and USB-C female PD charge.


Note:

The USB-C source devices (mobile/notebook/tablet PC) must support video output.

The USB-C source devices (mobile/notebook/tablet PC) must support OTG.

If the power supply ability of USB-C source devices (mobile/notebook/tablet PC) can not satisfy product use, please insert it into the USB-C Power Delivery port for power supply in case of any unstable connections.

Product Diagram



Features

1. Max Ethernet Speed: 1000Mbps.

2. VGA:

1080P@60HZ, downward compatible with ,1080I , 720P 3. HDMI:

4Kx2K 30HZ(3840x2160), downward compatible with 1080P, 1080I, 720P. HDMI will be 1080P@60HZ while HDMI & VGA.

work simultaneously.
4. USB-C Female Charging Port:

PD3.0; Support 100W power in; Power out (charging) is limited to 87-96W for safety.

(charging) is limited to 87-96W for safe 5. 3.5mm Analog Audio Output

6. USB-A 3.0:

Transmission speed 5Gbps, downward compatible with USB2.0; power supply up to 4.5W Max.

7. SD/TF Card Reader:

Read: 20-40MB/s; Write: 10-30MB/s;

Data transfer rates are subject to the speed of the memory card itself and your computer's USB port.

Support SST

Foldable Design

Comply with USB-C interface specification

Built in conversion chip, plug and play

Storage Conditions


Ambient Working Temperature: 0°C-70°C (32°F- 158°F)

Storage Temperature: -30°C-120°C (-22°F- 248°F)

Ambient Humidity: 20% - 80% RH

Storage Humidity: 20% - 90% RH

Connection



Note:

- 1. For Video output, USB-C source devices must support video output.
- Charging power should be maintained between 87 and 96 watts for optimal efficiency.



The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Lo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

Distributed by: Electus Distribution Pty. Ltd. 320 Victoria Rd, Rydalmere NSW 2116 Australia

www.electusdistribution.com.au

Made in China