

# 8-port 10/100Mbps Desktop Switch

WL-N080M1

\*Note: Before using your product, please read this manual instruction

# Introduction

## **Package Contents**

Thank you for choosing our product. Switch to our World

Please make sure there isn't anything missing, the content includes the following items

- lease make sure there isn't anything missing, the content includes the following item
- 1 x Power Adapter

1 x 8-Port 10/100MbpsDesktop Switch

1 x User Manual

## **Product Overview**

This is a multiport switch and is the perfect choice to upgrade your network to100Mbps.lt provides you with a high-performance, seamless, low-cost and easy-to-use 100Mbps network, ideal for multimedia, graphics, HD video and other applications that require large transferring allocation. All eight portssupport auto-negotiation and auto-MDI/MDIX eliminating the need for a cross over cables. Connection speeds are automatically detected. The 8-Port Desktop Switch is compatible with any 10/100Mbps Ethernet device.

## **Main Features**


- Complies with IEEE 802.3, IEEE 802.3u standards
- Eight Auto-Negotiation Ethernet ports provide smart switching between 10Mbps and 100Mbps hardware
- Supports Auto-MDI/MDIX, eliminating the need for crossover cables
- Supports IEEE 802.3x flow control for Full Duplex mode and backpressure for Half Duplex mode
- Supports MAC address auto-learning and auto-aging
- Non-blocking switching architecture enables full wire-speed packets forwarding and filtering
- Fanless design ensures quiet operation without disturbing your family
- · Plug and Play design simplifies installation
- LED indicators for monitoring power, link and activity


# Front Panel



LED	Status	Description
Power	On	Power is on
	Off	Power is off
LED (1~8)	On	Port is connected
	Off	Port is disconnected
	Blink	Data is transmitting

#### Rear Panel






Port	Description	
POWER	The Power connector is used in conjunction with the power adapter, to power the unit	
LAN (1~8)	Eight Auto-Negotiation Ethernet ports used to connect your network devices. The working status can be indicated by the corresponding LEDs on the front panel	

# Installation

## Notes before Installation

- The switch isn't waterproof take care with storage, transportation and operation.
- Position the desktop switch away from water moisture and be sure to provide an acceptable temperature and humidity-operating environment.
- Position the switch away from vibrations, dust, direct exposure to sunlight.and strong electromagnetic field generators (such as motors).
- Ensure adequate ventilation space around the switch
- Don't place heavy objiects against or upon the switch
- Unplug the switch during electrical thunder storms or power surges

# Installation Procedures



Step 1:Connect the supplied power adapter to the Power connector


All 1-8 LED's will flash momentarily, which represents resetting of the system
 The Power LED indicator will light all the time.

**Note:** If the LED indicators don't respond as described above, please check the connection of power adapter

 $\textbf{Note 2:} \ \textbf{Connect the network cables to the switch and that's it}$ 

## Sample Network Topology

Your switch is now fully installed, please go ahead with connecting your switch with other network devices. Here is a Sample Network Topology for your reference:



# **Specification**

Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3x
Protocol	CSMA/CD
Transmission Method	Store-and-Forward
	MAC address auto-learning and auto-aging
Switching Feature	Half and Full-duplex
	1.6Gbps Backplane Bandwidth
Data Rate	10/100Mbps at Half-duplex
Data Nate	20/200Mbps at Full-duplex
Hardware	
Interfaces	8 x 10/100Mbps Auto-negotiation, Auto-MDI/MDIX EthernetPor
interraces	1 x Power Connector
LED Indicators	LAN1~LAN8, Power
MAC Address Table	2K
Power Supply	Input: AC 100-240V, 50/60Hz
rower Supply	Output: DC 5V 0.5A
Dimensions (W×D×H)	139mm x 76mm x 27mm
Others	
Operating Temperature	0°C~40°C ( 32°C~104°F )
Storage Temperature	-40°C~70°C (-32°C~158°F)
Operating Humidity	10%~90%,Non-condensing
Storage Humidity	5%~90%,Non-condensing
Certifications	CE,RoHS
	1 x 8-Port Desktop Switch
Package Contents	1 x Power Adapter
	1 x User Manual

\*All references to speed and range are for comparison purposes only. Product specifications, size, and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.