

Lyra Complete Home Wi-Fi Corner to Corner Coverage

- Tri-Band Wi-Fi System You Can Rely On

 A dedicated 5GHz high speed connection deliver a super-fast reliable and secure signal to every corner of your home.
- Smooth Wi-Fi, Always
 Lyra connects you to the best signal source wherever you're in the home.
- Smar Antennas for Stable Wi-Fi

 Each Lyra node automatically optimizes its
 connections to the other nodes, ensuring the most
 stable Wi-Fi signal at all times



Tri-Band Wi-Fi System You Can Rely On

Whether you're in the basement, the garden or the living room, you want all your Wi-Fi devices to work smoothly. The ASUS Lyra whole home Wi-Fi system uses three interconnected Wi-Fi nodes to deliver a super-fast, reliable and secure signal to every corner of your home.




More Bands, More Capacity

Lyra has three separate frequency bands. One band is dedicated to inter-node connections, leaving the other two completely free for full-bandwidth device connections.

Smart Antennas for Stable Wi-Fi

Each Lyra node automatically optimizes its connections to the other nodes, ensuring the most stable Wi-Fi signal at all times.







Take Care of Your Family

Keep an eye on your family members' network usage and adjust the time/application allowance for each person. The most cuttingedge parental controls on Lyra allows you to block specific mobile apps and web domain without totally block the

| ∞∞ 中華電信 令 Back | 15:12 Chris | ≁ ◎ \$ 99% — + | ・・ooo 中華電信 ◆ く Back | 15:12 Chris | 7 0 2 95 |
|-------------------------|------------------------|------------------------|-----------------------------------|----------------------------------|--------------------------------|
| Chri 3 devi | | | | - | |
| Schedule block | | _ | 2.43MB Day time 08:00-15:59 | 7.18MB Evening 16:00-23:59 | 48.55MI Bedtim 00:00-07: |
| Content block | | _ | | Last update: Au | g 9, 2196, 5:53 |
| Usage Statis | tics | _ | P Yout | ube | 43.00 |
| Last 24 hours | | | M — | ail | 6.81 |
| | | | Face | book | 0.99 N |
| | | | G.Goog | le | 542.22 |
| 2.43MB | 7.18MB | 48.55MB | Devices in | the profile | |
| Day time 08:00-15:59 | Evening 16:00-23:59 | Bedtime 00:00-07:59 | ASUS | ZenFone 2 | |
| | Last update: Au | a 9, 2196, 5:52:32 AM | t 0.00 | Kbps 4 0.00 K | lbps |

One App for All

With the ASUS Hive app you can set up, manage, and diagnose your network — even without a PC!

What's Inside the Box

- Lyra x 3
- 2m Ethernet cable
- Power adapters
- Quick start guide

Specifications

- Wireless Type: 802.11 ac/n/g/a/b
- Wireless Speed: up to 2134 Mbps (1 Lyra)/ up to 6402 Mbps (3 Lyra)
- Wireless Frequency: Tri-band (2.4 & Dual 5 GHz)
- Wired Connectivity: Gigabit WAN/LAN port x 2
- Warranty: 3 years

Connectivity







© 2016 ASUSTeK Computer Inc. All rights reserved.

Specifications, content and product availability are all subject to change without notice and may differ from country to country. Actual performance may vary depending on applications, usage, environment and other factors. Full specifications are available at http://www.asus.com





Connectivity

| Network Standard | IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, IPv4, IPv6 |
|------------------|---|
| Product Segment | AC2200 ultimate AC performance : 400+867+867 Mbps |
| Coverage | Very large homes |
| Data Rate | 802.11a : 6,9,12,18,24,36,48,54 Mbps |
| | 802.11b : 1, 2, 5.5, 11 Mbps |
| | 802.11g : 6,9,12,18,24,36,48,54 Mbps |
| | 802.11n : up to 400 Mbps |
| | 802.11ac : up to 867 Mbps |

| Antenna | Internal antenna x 7 |
|---------------------|---|
| Transmit/Receive | MIMO technology |
| | 2.4 GHz 2 x 2 |
| | 5 GHz-1 2 x 2 |
| | 5 GHz-2 2 x 2 |
| Memory | 128 MB Flash |
| | 256 MB RAM |
| Wi-Fi Technology | Beamforming: standard-based and universal |
| | 256-QAM high data rate |
| | 20/40/80 MHz bandwidth |
| Operating Frequency | 2.4G Hz, 5 GHz-1, 5 GHz-2 |
| Encryption | 64-bit WEP, 128-bit WEP, WPA2-PSK, WPA-PSK, WPA-Enterprise , WPS |
| | support |
| | Access control : Parental control, Network service filter, URL filter |
| Management | |
| WAN Connection Type | Internet connection type : Automatic IP, Static IP, PPPoE(MPPE supported) |
| Ports | RJ45 for 10/100/1000 BaseT for WAN x 1, RJ45 for 10/100/1000/Gigabits BaseT for LAN |
| | x 1 |
| Button | Pairing Button, Reset Button |

@ 2016 ASUSTeK Computer Inc. All rights reserved.

Specifications, content and product availability are all subject to change without notice and may differ from country to country. Actual performance may vary depending on applications, usage, environment and other factors. Full specifications are available at http://www.asus.com





Connectivity

| Features | MU-MIMO New Parental Control Guest Network |
|------------------|--|
| LED Indicator | Power x 1 / WAN x 1 / LAN x 1 / Wireless x 2 / WPS x 1 |
| Power Supply | AC Input : 110V~240V(50~60Hz) / DC Output : 12 V with max. 2 A current |
| Dimensions | 5.51 x 5.51 x 1.57 inch (LxWxH) ~ inch (Without Bezel |
| Weight | 327 g |
| Color | White |
| Package Contents | Lyra x 3 |
| , | 2m Ethernet cable |
| | Power adapters |
| | Quick start guide |
| | |
| | |